

Research Article

Refrigeration Potential of Fruit Trees Introduced in West Georgia

Gaprindashvili I^{*}, Asanidze N¹, Lamparadze SH¹ and Gamkrelidze K¹

¹Batumi Shota Rustaveli State University, N35 Ninoshvili Street, Batumi, 6010, Georgia

Abstract

The paper explores the challenges related to the development of agricultural technology services in the humid subtropical region of Georgia, with a focus on the Gvara-Khutsubani demonstration nursery of fruit tree crops, which tests both introduced and local varieties of fruit trees and subtropical crops. This contributes to the diversification of the gene pool of these crops in the region. Additionally, this initiative has the potential to increase the value chain and export refrigeration capacity of the fruit tree nursery.

Rubinola, Gold Rush, Champagne Reinette, Fuji Kiku, Forlaid, Ariva, Georgian Sinapi, Topaz, Summerland, Conference, Abbot Vettel, and Carmen, were subjected to experimental studies. During the studies, the phenological phases of 9 apple and 3 pear varieties were observed, along with biometric indicators, yield, cold storage potential of raw materials, and respiration intensity.

Keywords: Gene pool; Phenological phases; Potential of Fruit Trees

Introduction

Fruit cultivation has been a key contributor to the economy of national agriculture, and in many regions, it remains a primary source of enhancing the material well-being and cultural advancement of local communities. The testing of both introduced and local varieties of fruit trees and subtropical crops in the Gvara-Khutsubani demonstration nursery of vine and fruit crops under the Agricultural Technology Development Service of the N (N) LE the Agroservice Center represents a significant and commendable development. This initiative contributes to the diversification of the gene pool of these crops in the region [1].

***Corresponding author:** Gaprindashvili I, Batumi Shota Rustaveli State University, N35 Ninoshvili Street, Batumi, 6010, Georgia, E-mail: gaprindashvili.inga@gmail.com

Citation: Gaprindashvili I, Asanidze N, Lamparadze SH, Gamkrelidze K (2023) Refrigeration Potential of Fruit Trees Introduced in West Georgia. J Food Sci Nutr 9: 159.

Received: June 05, 2023; **Accepted:** June 21, 2023; **Published:** June 28, 2023

Copyright: © 2023 Gaprindashvili I, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

Since the second half of 2022, a research project focusing on the morpho-biological characteristics of various fruit tree varieties has been ongoing in the Gvara-Khutsubani demonstration nursery of fruit crops based on a memorandum signed between N(N)LE Agroservice Center and the Batumi Shota Rustaveli State University. The study is investigating the respiration intensity of the crops, which is a key factor in their cold storage potential.

Materials and Methods

The aim of this study is to assess the morpho-biological characteristics of various fruit tree varieties in the Gvara-Khutsubani demonstration nursery of fruit crops, located in the humid regions of the Black Sea coast in Western Georgia. In addition to evaluating their agricultural suitability, the research will also examine the refrigeration potential of these crops.

The research object: the fruit tree nursery value chain and the measurement of fruit respiration intensity. Initially, the test plants belonging to various apple, pear, and subtropical persimmon varieties were selected, with 5 plants of each type being tagged and recorded in the registration log.

We carried phenological observations and biometric measurements on test plants, which included 9 apple, 3 pear, and 3 subtropical persimmon varieties. Based on these data, we calculated the average arithmetic indicators. We also assessed the yield [2].

As for the the fruit's technical characteristics and physico-chemical indicators, they were evaluated by the Food Safety Department at the Agricultural and Membrane Technologies Institute of the BSU, using samples provided by us (Table 1).

The table illustrates the progression of phenological phases across 9 apple and 3 pear varieties, highlighting notable differences among them. For instance, Champagne Rennet exhibits the earliest bud swelling and vegetation onset (24-26.03), while Gold Rush experiences these stages later (30.03-1.04), with a 6-day gap between the two. In other species (3-4) in terms of flowering and fruit ripening, the earliest is Champagne Rennet (10-12.04; 3-8.10), and the latest is Gold Rush (16-18.04; 20-25.10). Topaz, Ariva, Forlaid, and Fuji Kiku all have fruits ripening almost simultaneously, from October 7 to October 15. Finally, Rubinola fruits ripen relatively late, from 15-20.10. Thus, the ripening of the mentioned apple varieties starts between October 3-8 and ends between November 20-25. Ariva (3-8.10) and Fuji Kiku (5-8.10) complete vegetation earlier, while Gold Rush (2-7.11) and Summerland (22-27.10) finish later [3].

Gold Rush has the latest leaf fall (15-20.12), while other trees from November 15-20 to November 25-30. Among pear varieties, Conference begins vegetation earlier (12-14.03), while Carmen starts later (19-21.03). Abbot Vettel has an intermediate starting time (14-16.03). The flowering starts and ends early for Conference (1-3.04; 9-11.04), late for Carmen (4-6.04; 12-14.04), and Abbot Vettel is transitional in this regard (2-4.04; 10-12.04).

#	Name of species	Swelling of buds, start of vegetation	Opening of buds	Showing of leaves	Showing of flower buds	Start of flowering	End of flowering	Ovary development	10-12 mm fruit development	Ripening maturity	End of vegetation	Start of leaf fall	End of leaf fall
1	Rubinola	26-28.03	10-13.04	20-22.04	16-18.04	12-14.04	23-25.04	19-16.05	5-10.06	15-20.10	18-22.10	18-23.11	25-30.11
2	Gold Rush	30.03-1.04	14-16.04	23-25.04	20-22.04	16-18.04	28-30.04	16-19.05	8-13.06	20-25.10	2-7.11	8-13.12	15-20.12
3	Champagne Reinette	24-26.03	2-5.04	10-12.04	8-13.04	10-12.04	21-23.04	7-10.05	1-5.06	3-8.10	8-13.10	12-17.11	20-25.11
4	Fuji Kiku	28-30.03	8-10.04	16-18.04	13-15.04	11-13.04	23-25.04	11-14.05	3-8.06	10-15.10	5-8.10	10-13.11	17-20.11
5	Forlaid	1-3.04	2-5.04	10-13.04	7-9.04	18-20.04	27-29.04	8-11.05	1-5.06	8-10.10	7-12.10	11-16.11	18-23.11
6	Ariva	2-4.04	3-5.04	11-14.04	8-10.04	20-22.04	1-3.05	9-12.05	2-6.06	8-13.10	3-8.10	6-11.11	15-20.11
7	Sinapi	4-6.04	4-7.04	12-15.04	10-12.04	21-23.04	2-4.05	10-13.05	3-8.06	10-15.10	7-12.10	7-12.11	17-22.11
8	Topaz	28-30.03	9-11.04	15-17.04	13-15.04	13-15.04	24-26.04	14-17.05	7-12.06	7-12.10	9-14.10	13-18.11	22-27.11
9	Summerland	29-31.03	12-14.04	20-22.04	16-18.04	16-18.04	26-28.04	17-20.05	10-15.06	8-13.10	22-27.10	23-28.11	25-30.11
10	Conference	12-14.03	23-25.03	31.03-2.04	26-28.03	1-3.04	9-11.04	18-21.04	1-5.05	15-21.09	12-17.09	6-10.11	10-15.11
11	Abbot Vettel	14-16.03	26-28.03	3-5.04	1-2.04	2-4.04	10-12.04	23-26.04	5-10.05	7-12.09	10-13.09	4-9.11	9-13.11
12	Carmen	18-20.03	28-30.03	5-7.04	1-3.04	4-6.04	12-14.04	25-28.04	10-15.05	22-27.08	1-5.09	2-7.11	7-12.11

Table 1: Phenological phase of apple and pear.

Regarding the ripening period of pear fruits, Carmen ripens the earliest (22-27.08), followed by Abbot Vettel (7-12.09) and Conference (15-21.09). Carmen also finishes its vegetation first (1-5.09), followed by Abbot Vettel (10-13.09), and Conference finishes last (12-17.09). The period of leaf fall in pear varieties starts from November 7 to 10 and ends from November 12 to 15. Carmen completes its leaf fall earliest (7-12.11), and Conference completes it later (10-15.11) (Figure 1 and Table 2).




Figure 1: Biometric Indicators and Yield of Apple and Pear Species.

Table 2 presents the biometric indicators and yield of apple and pear varieties. During determination of the biometric indicators, we measured: tree height, trunk diameter, length and diameter of annual shoots, leaf blade length and width, leaf stem length, and fruit height and diameter. In addition, the average fruit weight and yield were determined both per plant and per hectare [4].

Table 2 displays the variation in height among the apple varieties, with a range of 2.3 meters to 3.2 meters. Rubinola stands out as the tallest (3.2 m), while Fuji-Kiku is the shortest (2.4 m). Champagne

Rennet has the thickest trunk (5.9 cm), followed by rubinola (5.8 cm) and topaz (5.6 cm). Conversely, the thinnest trunk is found in Sipani at 4.7 cm. The trunk diameter of the other varieties falls between 4.8 cm to 5.6 cm.

Rubinola (55 cm; 1,9 cm) and Ariva (51 cm; 1,8 cm) stand out with the length and diameter of one-year shoots. In contrast, Sinap and Forlaid have the shortest one-year growths (38 cm and 39 cm respectively), and correspondingly smaller diameter of (1.3 cm; 1.5 cm).

Champagne Rennet and Fuji-Kiku plants are distinguished by the size of the leaf blade, with dimensions of 10.3-6.2 cm and 10.2-6.1 cm. Meanwhile, Topaz (7.2-4.7 cm) and Gold Rush (7,6-4,7 cm) produce the smallest leaves. The length of the stem differs among the different varieties, ranging from 2.1 to 4.5 cm.

In terms of the dimensions and average weight of the fruit, Champagne Rennet takes the lead with a height of 6,6 cm, a diameter of 7.8 cm, and an average weight of 162 g. Gold Rush comes in second place (157 g). The smallest fruits are produced by Forlaid (115 g) and Ariva (120 g).


The varieties with the highest yield are Gold Rush and Forlaid, producing 8.0 and 7.5 kg per plant, respectively, and 6.4 and 6.0 t per hectare. The remaining varieties have a yield range of 1.8-6.2 kg per plant and 1.4-5.0 tons per hectare.

Abbot Vettel is the tallest pear variety that grows to a height of 2.1 m and stands out by a trunk diameter (4.5 cm), one-year shoots length (48 cm) and diameter (1,5 cm), size of the leaf blade (7,6-4,8 cm) and its fruit measures (13,8-7,9 cm) and a weight (255 g). It is also distinguished by its yield, which is on average 2.8 kg per tree, equivalent to 2.2 tons per hectare.


#	Name of species	Tree height, m	Trunk diameter, cm	Annual shoots length, cm	Annual shoots diameter, cm	Length of leaf blade, cm	Width of leaf blade, cm	Length of leaf stem, cm	Height of fruit, cm	Diameter of fruit, cm	Average weight of fruit, g	Yield on 1 seedling, kg	Yield on 1 Ha, T
1	Rubinola	3.2	5.8	55	1.9	8.4	4.9	3.0	6.3	7.6	150	3.1	2.5
2	Gold Rush	2.6	4.9	42	1.8	7.6	4.7	2.5	5.4	6.8	157	8.0	6.4
3	Champagne Reinette	2.9	5.9	45	1.6	10.3	6.2	3.4	6.6	7.8	162	6.2	5.0
4	Fuji Kiku	2.4	5.1	43	1.7	10.2	6.1	3.6	5.8	6.7	135	5.3	4.2
5	Forlaid	3.0	4.8	39	1.5	8.9	6.1	4.5	6.0	6.3	115	7.5	6.0
6	Ariva	3.1	5.4	51	1.8	10.1	5.9	3.3	5.9	6.5	120	3.3	2.6
7	Sinapi	2.9	4.7	38	1.3	9.5	5.5	3.2	6.5	6.2	123	1.8	1.4
8	Topaz	2.7	5.6	49	1.5	7.2	4.7	2.1	5.4	7.1	130	2.7	2.2
9	Summerland	2.8	5.2	50	1.6	9.2	6.2	3.1	6.1	7.5	144	4.8	3.8
10	Conference	1.9	4.3	44	1.3	7.2	4.3	3.0	13.1	7.1	238	2.4	1.9
11	Abbot Vettel	2.1	4.5	48	1.5	7.6	4.8	2.3	13.8	7.9	255	2.8	2.2
12	Carmen	2.0	4.4	46	1.4	7.4	4.6	3.9	11.3	4.6	216	1.5	1.2

Table 2: 2014-2016 Average Indicators.

While in storage, products release heat and moisture, which can potentially disrupt the storage environment. Only live products such as fruits emit heat, whereas any cells containing water are responsible for moisture release. Use of low temperature during the storage of fruits and vegetables serves for 2 purposes: a) rapid cooling and b) long-term preservation in a chilled or frozen state. Fruits are still subject to respiration even after they have been harvested from the tree, which involves the continuous release of energy through both aerobic and anaerobic respiration in living tissues.



Anaerobic respiration takes place during a lack of oxygen (less than 2%)




Fruits and vegetables undergo a breakdown process during respiration, beginning with monosaccharides, followed by disaccharides, starch, fats, organic acids, and other substances. The plant organism's respiration process is complex and depends on the fruit type, enzyme system, and environmental temperature as well. The gaseous composition of the air also impacts the intensity of respiration. When the oxygen level is reduced to 5-6%, the intensity of respiration in fruit and vegetables is halved. This does not affect the respiration quality due to a respiration coefficient of 1. The respiration coefficient is a ratio that expresses the volume of carbon dioxide released during respiration to the volume of inhaled air. According to observations, a pathological disturbance in respiratory secretion occurs during a significant reduction of oxygen, resulting in the accumulation of ethyl alcohol in the cell. A respiratory coefficient of 1 indicates that only carbohydrates are utilized in the respiration process, which continues until the formation of final products. When acids are used in respiration, the respiration rate exceeds 1. Based on the observations, the same happens during the oxygen defiance [5].

Analysis and Method

The methods used to determine the respiration rate of fruits and vegetables are based on the absorption of carbon dioxide gas in an alkaline area of a specific concentration. The volume of absorbed by the alkaline is determined through titration. To perform the test, a certain quantity of fruits and vegetables is placed on the grate exsiccator. A petri dish containing 0.5-1 kg of fruits and vegetables is placed on the bottom of the exsiccator, while a separate petri dish containing 20% potassium or sodium alkaline is also placed.

Carbon dioxide released during the respiration process of fruits, is absorbed by the alkaline. The reaction is expressed by the following equation



Once the test is completed, a small amount of salt and alkaline that did not participate in the reaction will be present in the petri dish. This mixture is then subjected to titration a) by HCl and (C). HCl reacts in 2 stages. Before titration, HCl solution (K_2CO_3) is added by 4-5 drops of phenolphthalein, resulting in a crimson color. As $KHCO_3$ is formed during titration, the solution becomes colorless, and then methyl orange indicator is added. The solution changes to orange, and as further acid titration converts all $KHCO_3$ to free H_2CO_3 , the solution changes to a pinkish-reddish color. Phenolphthalein is used to titrate excess KOH, which did not react with CO_2 , and with half of while methyl orange is used to titrate the other half. The formula used to determine respiration intensity is as follows:

$$I = \frac{(a-b) \cdot k \cdot 22}{(T_1 - T_2)}$$

Where a is 1N HCl total volume in milliliters.

22 is 1N HCl in milliliters used for titration of 20 milliliters of 1N KON with phenolphthalein.

a - b is an amount of 1N HCl in milliliters, used for titration of.

K is an HCl correction coefficient, 22 is equivalent to C.

$t_1 - t_2$ start and ending time of the test.

G the mass of research sample (kg)

The use of low temperature for preserving fruits and vegetables serves for 2 purposes: rapid cooling 2 long-term storage.

First, the fruits are placed in plastic boxes and cooled at -5 and +5. This allows for accumulating about 3600 kg of cooled fruits in the refrigerator, this is then packed in polyethylene bags using a packing machine. The packages are placed in plastic boxes and stored in a refrigerator at a temperature between -18 -25 until they are sold.

Conclusion

We studied the morphological and agricultural characteristics of fruit trees; apple and pear, their biometric indicators, technical characteristics and yield in the Gvara-Khutsubani territory. We studied phenological phases of apple and pear. We studied a respiration intensity and refrigeration potential of apple and pear species.

References

1. Kalatrava J (1992) Tropical Fruit Cultivation: Some Aspects of Its Economic Reality. Searched on the 30th of January 2020 from ResearchGate.
2. Childers N (1995) Modern Fruit Science. Orchard and Small Fruit Culture. Read on: 30th January 2020.
3. Omi A, Guerra M (2020) Fruit Growing and Fruit Cutting. Read on: 30th January 2020.
4. Perez M (2020) Most Important Types of Fruits Growing. Read on: 30th January 2020.
5. Riugo K (1988) Fruit Culture: Its Science and Art. Read on: 30th January 2020.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldoopenaccess.us/submit-manuscript>