

## Research Article

# Analysis of DNA Methylation Sites used for Forensic Age Prediction and their Correlation with Human Aging

Silva DSBS<sup>1\*</sup> and Karantenislis G<sup>2</sup>

<sup>1</sup>Department of Chemistry, Hofstra University, Hempstead-NY, USA

<sup>2</sup>John F Kennedy High School, Bellmore-NY, USA

### Abstract

Phenotype-related features, such as age, are linked to genetic components through regulatory pathways and epigenetic modifications, such as DNA methylation, are major regulators in the translation of genotype to phenotype. Age-related CpG sites have been identified and described to have predictive value in the estimation of chronological age from biological samples. Currently, CpG sites are chosen based only on statistical correlation with age, and not based on their location on the chromosome or on the function of genes where they are located. There seems to be a lack of information regarding the identified genes and if they have a direct or indirect relation to the aging process, or if the statistical correlation is more likely to be random. In this work, we analyzed studies published in the last six years on DNA methylation age markers and a total of 59 genes were identified as being age-related. The five most used ones by different prediction models were: ELOVL2, FHL2, KLF14, TRIM59 and C1orf132. After further investigation, it was possible to notice that although the function of genes is not the primary criteria when choosing targets to build age prediction models, it is clear that the statistical correlation found between DNA methylation and age is not random. The sites and genes chosen by different studies have mostly direct association with aging, playing important roles in metabolism, cell proliferation, migration and immune signaling pathways, and also being involved in inflammatory responses and in cancer development.

**Keywords:** Age prediction; DNA methylation; Forensic epigenetics; Investigative lead

\*Corresponding author: Silva DSBS, Department of Chemistry, Hofstra University, Hempstead-NY, USA, Tel: +1 516.463.7153; E-mail: Deborah.silva@hofstra.edu

**Citation:** Silva DSBS, Karantenislis G (2021) Analysis of DNA Methylation Sites used for Forensic Age Prediction and their Correlation with Human Aging. *Forensic Leg Investig Sci* 7: 054.

**Received:** March 19, 2021; **Accepted:** April 02, 2021; **Published:** April 09, 2021

**Copyright:** © 2021 Silva DSBS, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

### Introduction

DNA samples left behind in crime scenes are often used for identification purposes by comparing them to reference samples or to a forensic database. In cases where there is no match, investigators may turn to alternative approaches using advanced technologies to gain valuable leads on phenotypic traits (externally visible characteristics) of the person who had left the DNA material. Previous studies have found that phenotypes can be predicted by using information obtained from different DNA markers, such as single nucleotide polymorphisms (SNPs), insertion/deletion polymorphisms (InDel), and epigenetic markers [1-11]. It is well established that epigenetic modifications are major regulators in the translation of genotype to phenotype. Epigenetic regulation encompasses various levels of gene expression and involves modifications of DNA, histones, RNA and chromatin, with functional consequences for the human genome [12-14]. DNA methylation is the most well-characterized epigenetic modification. It is usually associated with transcriptional repression and it involves the addition of a methyl group (–CH<sub>3</sub>) in the cytosine of CpG dinucleotides. Differences in DNA methylation levels in specific regions of the genome can affect the expression of target genes and downstream phenotypes. As differential methylation patterns began being more widely described, research started focusing on understanding how variations in human DNA methylation patterns can be used to describe and predict phenotype-related features, such as age. Age-related CpG sites have been identified and have been described to have predictive value in the estimation of chronological age from biological samples [15-18].

The most current used methodology to identify CpG sites consists in using data obtained from DNA methylation arrays, such as the Infinium HumanMethylation450 Bead Chip array (Illumina, CA). This platform interrogates over 450,000 individual CpG sites and quantifies DNA methylation by measuring signal intensity emitted by methylated and unmethylated probes. Then, the analysis software will use these probe intensities to calculate beta-values, which will provide an estimated methylation status. For example, a CpG site with a 0.9 beta-value is estimated to have 90% methylation [18]. Most age prediction studies use methylation raw data from different tissue samples followed by the extraction of beta-values for each CpG site. Then, CpG sites highly correlated to age are selected and a statistical model for age prediction is developed [19]. Based on this description of the selection of CpG sites, it is clear that they are not primarily chosen based on their location on the chromosome or on the function of the genes where they are located. Rather, CpG sites are chosen based only on statistical correlation with age. Published studies on age prediction usually present the sites chosen and briefly mention the genes involved. There seems to be a lack of information regarding the identified genes and if they have a direct or indirect relation to the aging process, or if the statistical correlation is more likely to be random. Hence, this study aimed to evaluate the current progress in forensic age prediction based on DNA methylation patterns and to investigate the identified sites/genes and their significance and correlation with human aging.

## Materials and Methods

A comprehensive review of articles on forensic age prediction was done to identify previously published age-related DNA methylation markers and to gather information on CpG sites, gene, age estimation error and sample type. The most commonly used CpG sites in different age prediction models were identified and an investigation of the genes where these markers are located was performed. The identified genes and their correlation with any aging process were evaluated by using information found on the National Center for Biotechnology Information (NCBI) [20] and the Gene Cards [21] databases.

## Results and Discussion

Despite all work done so far in investigating DNA methylation markers for age prediction, some aspects of age estimation based on epigenetic data need to be further understood. As seen in the studies published to date, there seems to be a functional link between DNA

methylation and age since the regulatory regions of some genes have a tendency to become more methylated with the increase of age [22]. However, while studies report CpG sites identified as presenting a relation to human aging, there is a lack of further information on the genes where these CpG sites are located and if these sites are direct or indirectly associated to the aging process.

A total of 29 studies on DNA methylation age markers published in the last six years were analyzed to evaluate the current progress in forensic age prediction and to better investigate the sites and genes identified by different authors. The results from this investigation are presented in (Table 1). Most of the age predictions models were built on results gathered from blood sample analysis. However, an ideal age prediction tool should work for different body fluids, and for this reason, more recent studies have been focusing on expanding the tissue-type analyzed to at least include the most common types of body fluids found in crime scenes, such as saliva and semen [23-47].

Study	Genes	Mean absolute deviation or prediction error	Sample type
Weidner et al. [23]	ITGA2B, ASPA, PDE4C	4.5 years	blood
Yi et al. [15]	TBOX3, GPR137, ZIC4, ZDHHC22, MEIS1, UBE2E1, PTSS2, UBQLN1	NA	blood
Zbiec-Piekarska et al. [17]	ELOVL2, C1orf132, TRIM59, KLF14, FHL2	3.9 years	blood
Lee et al. [24]	TTC7B, NOX4	5.4 years	semen
Bekaert et al. [25]	ASPA, PDE4C, ELOVL2, EDARADD	3.8 years (blood) and 4.9 years (teeth)	blood, teeth
Xu et al. [26]	ADAR, ITGA2B, PDE4C	5.1 years	blood
Huang et al. [27]	ASPA, ITGA2B, NPTX2	7.9 years	blood
Park et al [18]	ELOVL2, ZNF423, CCDC102B	3.4 years	blood
Friere-Aradas et al [28]	ELOVL2, ASPA, PDE4C, FHL2, CCDC102B, C1orf132	3.1 years	blood
Giuliani et al. [29]	ELOVL2, FHL2, PENK	2.3 years (pulp), 7.1 years (dentin) and 2.5 years (cementum)	teeth
Zubakov et al. [30]	DMH1, DMH2, DMH3, FHL2, ELOVL2	4.3 years	blood
Hong et al [31]	SST, CNGA3, KLF14, TSSK6, TBR1, SLC12A5, PTPN7	3.2 years	saliva
Alghanim et al. [32]	KLF14, SCGN	7.1 years (saliva) and 10.3 years (blood)	blood, saliva
Cho et al. [33]	ELOVL2, C1orf132, TRIM59, KLF14, FHL2	3.3 years	blood
Naue et al. [34]	ELOVL2, F5, KLF14, TRIM59	3.6 years	blood
Vidaki et al. [35]	NHLRC1, SCGN, CSNK1D	7.1 years (blood) and 3.2 years (saliva)	blood, saliva
Li et al. [36]	NHLRC1, SCGN, ASPA, EDARADD, CSNK1D, LAG3	4.1 years (healthy samples) and 7.1 years (diseased samples)	blood
Aliferi et al. [37]	VGF, TRIP10, KLF14, CSNK1D, FZD9, C21orf63, SSRP1, NHLRC1, ERG, FXN, P2RXL1, SCGN	4.1 years (blood) and 7.3 years (saliva)	blood, saliva
Feng et al. [38]	TRIM59, PDE4C, ELOVL2, CCDC102B, C1orf132, RASSF5	2.8 years	blood
Jung et al [39]	ELOVL2, FHL2, KLF14, C1orf132, TRIM59	3.8 years	blood, saliva, buccal swabs
Alsaleh et al. [40]	FHL2, ELOVL2	4.6 years	blood
Gentile et al. [41]	ELOVL2, C1orf132, TRIM59, KLF14, FHL2	5.4 years (highest MAD by age group)	saliva
Xu et al. [42]	SALL4, MBP, C17orf76, B3GALT6, NOC2L, SNN, NPTX2, SLC22A18, TMEM106A, LEP, SCAP, C16orf30, FLJ25410	4.7 years	bonemarrow, dermal fibroblast, buccal, prostate NL, sperm, saliva, colon, breast NL, muscle, placenta, liver, fat adip, brain occipital cortex, brain CRBLM
Dias et al. [43]	ELOVL2, FHL2, EDARADD, PDE4C, C1orf132	8.8 years	blood
Heidegger et al. [44]	ELOVL2, FHL2, KLF14, MIR29B2CHG, TRIM59	NA	blood

Lee et al. [45]	TMEM51, TRIM59, ELOVL2, and EPHA6	NA	bones
Li et al. [46]	NOX4	4.2 years (liquid semen and fresh seminal stains), 4.4 years (aged seminal stains), 3.9 years (mixed stains)	sperm
Pan et al. [47]	ASPA, EDARADD, CCDC102B, ZNF423, ITGA2B, KLF14, FHL2	4.6 years	blood
Sukawutthiya et al. [22]	ELOVL2	7.1 years	blood

**Table 1:** Information on DNA methylation-based age prediction studies.

NA = not available

MAD values are shown for the validation/training sets

A total of 59 genes were identified as being age-related and the five most used ones were *ELOVL2*, *FHL2*, *KLF14*, *TRIM59* and *C1orf132*. All genes are protein coding genes, except for *C1orf132*, which is a ncRNA gene type. Interestingly, most of the identified genes (44 of the 59) were not used by multiple studies, being part of only one age prediction model. More information on the less cited genes can also be found in Supplementary Table 1.

CpG sites in the *ELOVL2* gene were the most used ones by multiple studies (Supplementary Table 1). The *ELOVL2* gene also seems to be part of the predictive models with the lowest absolute deviation. *ELOVL2* (elongation of very-long-chain fatty acids-like 2) plays a role in metabolism, including omega-3 and omega-6 metabolism, and it is also related to transferase and fatty acid elongase activities [48]. Chen et al [49] investigated the *ELOVL2* association to functional and anatomical aging *in vivo*, focusing on mouse retina. *ELOVL2* is involved with the elongation of long-chain omega-3 and omega-6 polyunsaturated acids, which play essential roles in retinal function. The authors reported that the *ELOVL2* promoter region is increasingly methylated with age in the retina and that the decrease in the expression of this gene can be a regulator of a molecular aging clock in the retina. Also, according to Bacalini et al. [50], *ELOVL2* methylation is related to cell replication and the target regions within *ELOVL2* get hypermethylated with cell divisions. Based on other studies [51], the authors suggest that ageing is affected by the number of cell divisions and that the extend life span is related to a decrease in division rate. Also, the same authors present the idea that since *ELOVL2* hypermethylation occurs in different tissues; this locus is a target of methyltransferase activity throughout cell replications. The second locus most used by different studies was the *FHL2* (Four and a Half LIM Domains Protein 2) gene which encodes a protein that plays a role in the assembly of extracellular membranes [52]. This gene is also related to transcription activity, cell proliferation, apoptosis, adhesion, migration, structural stability, and tissue repair and inflammation [53]. According to Cao et al [54], *FHL2* plays an important role in cancer cell invasion, migration and adhesion to extracellular matrix, and the mutations in this gene and post-translational modifications may also contribute to carcinogenesis.

The *KLF14* (Kruppel Like Factor 14) gene was used in age prediction models proposed by ten different studies. This gene encodes a protein that functions as a transcriptional co-repressor [55]. Genome-wide association studies (GWAS) have also shown that *KLF14* play an important role in the development of metabolic diseases and that variants near this gene are associated with T2DM (type 2 diabetes mellitus) and HDL-C (high-density lipoprotein cholesterol) [56]. Assuncao et al [57] showed that besides being a regulator of lipid metabolism, *KLF14* also mediates lipid signaling. And to further support these findings, [56] showed that the inhibition of glucose uptake induced by high

glucose and high insulin can be prevented by the over expression of *KLF14*. More recently, it has been shown that *KLF14* is involved in chronic inflammatory responses and in atherosclerosis development [58,59]. The fourth most used gene by the studies analyzed in this work was *TRIM59* (Tripartite Motif Containing 59), a protein coding gene that is involved in the innate immune signaling pathways [60]. *TRIM59* was also shown to be involved in the induction of cellular senescence by affecting Ras and RB signal pathways [61] and to be a promoter of growth and migration in different types of cancer [59,62].

*C1orf132* (Chromosome 1 Open Reading Frame 132), currently known as *MIR29B2CHG* (MIR29B2 And MIR29C Host Gene) is the fifth most cited gene. This is an RNA gene part of the lncRNA class and a mir-29 microRNA precursor [63]. microRNAs regulate the translation of proteins and the mir-29 family members were shown to be down-regulated in different types of cancers [64].

As presented in this section and in the supplemental material (Supplementary Table 1), the sites and genes chosen by different studies and that contribute to age prediction have mostly direct association with aging, playing important roles in metabolism, cell proliferation, migration and immune signaling pathways, and also being involved in inflammatory responses and in cancer development.

During life, humans are exposed to many environmental factors that affect the level of methylation in different genes. Most likely, some locations in the chromosomes are more sensitive to changes in the environment and for this reason they present a stronger correlation to the ageing process and provide better markers to be used in predictive models [59]. It is also interesting to point out that in order to create more accurate and reliable age prediction models in forensic practice, researchers should also focus on exploring RNA genes, such as *MIR29B2CHG*. This type of gene has shown to have direct and indirect effects of DNA methylation and protein expression and can add value to prediction models when combined with other strongly age-associated genes, such as *ELOVL2*.

Although the function of genes is not the primary criteria when choosing targets to build age prediction models, it is clear that the statistical correlation between DNA methylation and age obtained from the analysis of methylation arrays is not random. The information presented in this work shows how important it is to investigate and discuss the function of the genes and sites used in the prediction models. Future publications should include function information on the targeted genes to provide an extra layer of information to forensic investigators while using this type of investigative tool.

## Acknowledgement

Georgia Karantenis is conducting an independent graduate-level research project as part of the Advanced Science Research (ASR) program.

## Declaration of Interest

None.

## References

1. Chaitanya L, Breslin K, Zuniga S, Wirker L, Pospiech E, et al. (2018) The HRISplex-S system for eye, hair and skin colour prediction from DNA: introduction and forensic developmental validation. *Forensic Sci Int Genet* 35: 123-135.
2. Sulem P, Gudbjartsson DF, Stacey SN, Helgason A, Rafnar T, et al. (2007) Genetic determinants of hair, eye and skin pigmentation in Europeans. *Nat Genet* 39: 1443-1452.
3. Maronas O, Phillips C, Sochtig J, Gomez-Tato A, Cruz R, et al. (2014) Development of a forensic skin colour predictive test. *Forensic Sci Int Genet* 13: 34-44.
4. Fracasso NCA, Andrade ES, Vieira CEV, Andrade CCF, Zanao LR, et al. (2017) Haplotypes from the SLC45A2 gene are associated with the presence of freckles and eye, hair and skin pigmentation in Brazil. *Leg Med* 25: 43-51.
5. Wood AR, Esko T, Yang J, Vedantam S, Pers TH, et al. (2014) Defining the role of common variation in the genomic and biological architecture of adult human height. *Nat Genet* 46: 1173-1186.
6. Weedon MN, Lango H, Lindgren CM, Wallace C, Evans DM, et al. (2008) Genome-wide association study identifies five loci that influence adult height. *Nat Genet* 40: 575-583.
7. Liu F, Lijn FVD, Schurmann C, Zhu GU, Chakravarty M, et al. (2012) A genome-wide association study identifies five loci influencing facial morphology in Europeans. *PLoS Genet* 8: e1002932.
8. Paternoster L, Zhurov AI, Toma AM, Kemp JP, Pourcain BST, et al. (2012) Genome-wide association study of three-dimensional facial morphology identifies a variant in PAX3 associated with nasion position. *Am J Hum Genet* 90: 478-485.
9. Nyholt DR, Na G, Heath AC, Martin NG (2003) Genetic basis of male pattern baldness. *J Invest Dermatol* 121: 1561-1564.
10. Kayser M (2015) Forensic DNA phenotyping: predicting human appearance from crime scene material for investigative purposes. *Forensic Sci Int Genet* 18: 33-48.
11. Vidaki A, Kayser M (2018) Recent progress, methods and perspectives in forensic epigenetics. *Forensic Sci Int Genet* 37: 180-195.
12. Fraga MF, Ballestar E, Paz MF, Ropero S, Setien F, et al. (2005) Epigenetic differences arise during the lifetime of monozygotic twins. *Proc Natl Acad Sci* 102: 10604-10609.
13. Haggarty P (2015) Genetic and metabolic determinants of human epigenetic variation. *Curr Opin Clin Nutr Metab Care* 18: 334-338.
14. Lardenoije R, Iatrou A, Kenis G, Kompotis K, Steinbusch HWM, et al. (2015) The epigenetics of aging and neurodegeneration. *Prog Neurobiol* 131: 21-64.
15. Yi SH, Xu LC, Mei K, Yang RZ, Huang DX, et al. (2014) Isolation and identification of age-related DNA methylation markers for forensic age-prediction. *Forensic Sci Int Genet* 11: 117-125.
16. Silva DSBS, Antunes J, Balamurugan K, Duncan G, Alho CS, et al. (2015) Evaluation of DNA methylation markers and their potential to predict human aging. *Electrophoresis* 36: 1775-1780.
17. Zbiec Piekarska R, Spolnicka M, Kupiec T, Makowska Z, Spas A, et al. (2015) Examination of DNA methylation status of the ELOVL2 marker may be useful for human age prediction in forensic science. *Forensic Sci Int Genet* 14: 161-167.
18. Park JL, Kim JH, Seo E, Bae DH, Kim SY, et al. (2016) Identification and evaluation of age-correlated DNA methylation markers for forensic use. *Forensic Sci Int Genet* 23: 64-70.
19. Goel N, Karir P, Garg VK (2017) Role of DNA methylation in human age prediction. *Mech Ageing Dev* 166: 33-41.
20. National Center for Biotechnology Information. Accessed in November (2020).
21. Gene Cards, The Human Gene Database. Accessed in November 2020.
22. Sukawutthiya P, Sathirapatya T, Vongpaisarnsin K (2021) A minimal number CpGs of ELOVL2 gene for a chronological age estimation using pyrosequencing. *Forensic Sci Int* 318: 110631.
23. Weidner CI, Lin Q, Koch CM, Eisele L, Beier F, et al. (2014) Aging of blood can be tracked by DNA methylation changes at just three CpG sites. *Genome Biol* 15: R24.
24. Lee YH, Jung SE, Oh YU, Choi A, Yang WI, et al. (2015) Epigenetic age signatures in the forensically relevant body fluid of semen: a preliminary study. *Forensic Sci Int Genet* 19: 28-34.
25. Bekaert B, Kamalandua A, Zapico SC, Voorde W, Decorte R, et al. (2015) Improved age determination of blood and teeth samples using a selected set of DNA methylation markers. *Epigenetics* 10: 922-930.
26. Cheng Xu, Hongzhu Qu, Wang G, Xie B, Shi Yi, et al. (2015) A novel strategy for forensic age prediction by DNA methylation and support vector regression model. *Sci rep* 5: 17788.
27. Huang Y, Yan J, Hou J, Fu X, Li L, et al. (2015) Developing a DNA methylation assay for human age prediction in blood and bloodstain. *Forensic Sci Int Genet* 17: 129-136.
28. Freire Aradas A, Phillips C, Mosquera A, Santamaria LG (2016) Development of a methylation marker set for forensic age estimation using analysis of public methylation data and the Agena Bioscience EpiTYPER system. *Forensic Sci Int Genet* 24: 65-74.
29. Giuliani C, Cilli E, Bacalini MG, Pirazzini C, Sazzini M, et al. (2016) Inferring chronological age from DNA methylation patterns of human teeth. *Am J Phys Anthropol* 159: 585-595.
30. Zubakov D, Liu F, Kokmeijer I, Choi Y, Meurs JBJ, et al. (2016) Human age estimation from blood using mRNA, DNA methylation, DNA rearrangement, and telomere length. *Forensic Sci Int Genet* 24: 33-43.
31. Hong SR, Jung SE, Lee EH, Shin KH, Yang WI, et al. (2017) DNA methylation-based age prediction from saliva: High age predictability by combination of 7 CpG markers. *Forensic Sci Int Genet* 29: 118-125.
32. Alghanim H, Antunes J, Silva DSBS, Alho CSBS, Balamurugan K, et al. (2017) Detection and evaluation of DNA methylation markers found at SCGN and KLF14 loci to estimate human age. *Forensic Sci Int Genet* 31: 81-88.
33. Cho S, Junf S-E, Hong SR, Lee EH, Lee JH, et al. (2017) Independent validation of DNA-based approaches for age prediction in blood. *Forensic Sci Int Genet* 29: 250-256.
34. Naue J, Sanger T, Hoefsloot HJ, Lutz-Bonengel S, Kloosterman AD, et al. (2018) Proof of concept study of age-dependent DNA methylation markers across different tissues by massive parallel sequencing. *Forensic Sci Int Genet* 36: 152-159.
35. Vidaki A, Ballard D, Aliferi A, Miller TH, Barron LP, et al. (2017) DNA methylation-based forensic age prediction using artificial neural networks and next generation sequencing. *Forensic Sci Int Genet* 28: 225-236.
36. Li X, Li W, Xu Y (2018) Human Age Prediction Based on DNA Methylation Using a Gradient Boosting Regressor. *Genes* 9: 424.
37. Aliferi A, Ballard B, Gallidabino MD, Thurtle H, Barron L, et al. (2018) DNA methylation-based age prediction using massively parallel sequencing data and multiple machine learning models. *Forensic Sci Int Genet* 37: 215-226.

38. Feng L, Peng F, Li S, Jiang Li, Sun H, et al. (2018) Systematic feature selection improves accuracy of methylation-based forensic age estimation in Han Chinese males. *Forensic SciInt Genet* 35: 38-45.
39. Jung SE, Lim SM, Hong SR, Lee EH, Shin KJ, et al. (2019) DNA methylation of the ELOVL2, FHL2, KLF14, C1orf132/MIR29B2C, and TRIM59 genes for age prediction from blood, saliva, and buccal swab samples. *Forensic SciInt Genet* 38: 1-8.
40. Alsaleh H, Hadrill PR (2019) Identifying blood-specific age-related DNA methylation markers on the Illumina MethylationEPIC® BeadChip. *Forensic SciInt* 303: 109944.
41. Gentile F, Castoldi E, Serventi P, Colloca D, Ciccotelli R, et al. (2019) Early evaluation of five age-correlated DNA methylation markers in an Italian population sample. *Forensic Sci. Int. Genet SupplSer* 7: 424-426.
42. Xu Y, Li X, Yang Y, Li C, Shao X, et al. (2019) Human age prediction based on DNA methylation of non-blood tissues. *Comput Methods Programs Biomed* 171: 11-18.
43. Dias HC, Cordeiro C, Real FC, Cunha E, Manco L, et al.(2020) Age Estimation Based on DNA Methylation Using Blood Samples From Deceased Individuals. *J Forensic Sci* 65: 465-470.
44. Heidegger A, Xavier C, Niederstätter H, Puente M, Pośpiech E, et al. (2020) Development and optimization of the VISAGE basic prototype tool for forensic age estimation. *Forensic SciInt Genet* 48: 102322.
45. Lee HY, Hong SR, Lee JE, Hwang IK, Kim NY, et al. (2020) Epigenetic age signatures in bones. *Forensic SciInt Genet* 46: 102261.
46. Li L, Song F, Lang M, Hou J, Wang Z, et al. (2020) Methylation-Based Age Prediction Using Pyrosequencing Platform from Seminal Stains in Han Chinese Males. *J Forensic Sci* 65: 610-619.
47. Pan C, Yi S, Xiao C, Huang Y, Chen X, et al. (2020) The evaluation of seven age-related CpGs for forensic purpose in blood from Chinese Han population. *Forensic SciInt Genet* 46: 102251.
48. ELOVL2, GeneCards®: The Human Gene Database.
49. Chen D, Chao DL, Rocha L, Kolar M, Huu VAN, et al. (2020) The lipid elongation enzyme ELOVL2 is a molecular regulator of aging in the retina. *Aging Cell* 19: 13100.
50. Bacalini MG, Deelen J, Pirazzini C, Cecco MD, Giuliani C, et al. (2017) Systemic Age-Associated DNA Hypermethylation of ELOVL2 Gene: In Vivo and In Vitro Evidences of a Cell Replication Process. *J GerontolA BiolSci Med Sci* 72: 1015-1023.
51. De Magalhães JP, Faragher RGA. (2008) Cell divisions and mammalian aging: integrative biology insights from genes that regulate longevity. *Bioessays* 30: 567-578.
52. FHL2, GeneCards®: The Human Gene Database.
53. WixlerV(2019) The role of FHL2 in wound healing and inflammation. *FASEB J* 33: 7799-7809.
54. Cao CY, Mok SW, Cheng VW, Tsui SK (2015) The FHL2 regulation in the transcriptional circuitry of human cancers. *Gene* 572: 1-7.
55. KLF14, GeneCards®: The Human Gene Database.
56. Yang M, Ren Y, Lin Z, Tang C, Jia Y, et al. (2015) Krüppel-like factor 14 increases insulin sensitivity through activation of PI3K/Akt signal pathway. *Cell Signal* 27: 2201-2208.
57. Assuncao TM, Lomberg G, Cao S, Yaqoob U, Mathison A, et al. (2014) New Role for Kruppel-like Factor 14 as a Transcriptional Activator Involved in the Generation of Signaling Lipids. *J BiolChem* 289: 15798-15809.
58. Wei X, Yang R, Wang C, Jian X, Li L, et al. (2017) A novel role for the Krüppel-like factor 14 on macrophage inflammatory response and atherosclerosis development. *Cardiovasc Pathol* 27: 1-8.
59. Spólnicka M, Pośpiech E, Adamczyk JG, Freire-Aradas A, Peplńska B, et al. (2018) Modified aging of elite athletes revealed by analysis of epigenetic age markers. *Aging* 10: 241-252.
60. TRIM59, GeneCards®: The Human Gene Database.
61. Valiyeva F, Jiang F, Elmaadawi A, Moussa M, Yee S-P, et al. (2011) Characterization of the oncogenic activity of the novel TRIM59 gene in mouse cancer models. *Mol Cancer Ther* 10: 1229-1240.
62. Hu SH, Zhao MJ, Wang WX, Xu CW, Wang GD, et al. (2017) TRIM59 is a key regulator of growth and migration in renal cell carcinoma. *Cell MolBiol* 63: 68-74.
63. C1orf1320, GeneCards®: The Human Gene Database.
64. Marcucci G, Mrózek K, Radmacher MD, Garzon R, Bloomfield CD, et al.(2011) The prognostic and functional role of microRNAs in acute myeloid leukemia. *Blood* 117: 1121-1129.

Gene	Number of studies using the gene	Gene role	GeneCards/NCBI reference
ELOVL2	16	metabolism, and transferase and fatty acid elongase activities	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ELOVL2">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ELOVL2</a>
FHL2	11	assembly of extracellular membranes	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=FHL2&amp;keywords=FHL2">https://www.genecards.org/cgi-bin/carddisp.pl?gene=FHL2&amp;keywords=FHL2</a>
KLF14	10	transcriptional repression	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=KLF14&amp;keywords=KLF14">https://www.genecards.org/cgi-bin/carddisp.pl?gene=KLF14&amp;keywords=KLF14</a>
TRIM59	8	regulator for innate immune signaling pathways	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TRIM59">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TRIM59</a>
C1orf132/MIR29B2CHG	7	mir-29 microRNA precursor	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=MIR29B2CHG&amp;keywords=C1orf132">https://www.genecards.org/cgi-bin/carddisp.pl?gene=MIR29B2CHG&amp;keywords=C1orf132</a>
ASPA	6	maintain white matter	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ASPA&amp;keywords=ASPA">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ASPA&amp;keywords=ASPA</a>
PDE4C	6	regulation of cellular concentration of cAMP	<a href="https://www.genecards.org/Search/Keyword?queryString=PDE4C">https://www.genecards.org/Search/Keyword?queryString=PDE4C</a>
CCDC102B	4	centrosome cohesion and centrosome linker assembly	<a href="https://www.ncbi.nlm.nih.gov/gene/79839">https://www.ncbi.nlm.nih.gov/gene/79839</a>
EDARADD	4	morphogenesis of ectodermal organs	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=EDARADD">https://www.genecards.org/cgi-bin/carddisp.pl?gene=EDARADD</a>
ITGA2B	4	blood coagulation system	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ITGA2B">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ITGA2B</a>
SCGN	4	KCL-stimulated calcium flux and cell proliferation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SCGN">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SCGN</a>
CSNK1D	3	diverse cellular growth and survival processes	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=CSNK1D">https://www.genecards.org/cgi-bin/carddisp.pl?gene=CSNK1D</a>
NHLRC1	3	suppression of cellular toxicity by protein degradation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=NHLRC1">https://www.genecards.org/cgi-bin/carddisp.pl?gene=NHLRC1</a>
NOX4	2	signal transduction, cell differentiation and tumor cell growth	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=NOX4">https://www.genecards.org/cgi-bin/carddisp.pl?gene=NOX4</a>
NPTX2	2	excitatory synapse formation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=NPTX2&amp;keywords=NPTX2">https://www.genecards.org/cgi-bin/carddisp.pl?gene=NPTX2&amp;keywords=NPTX2</a>
ZNF423	2	signal transduction during development	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ZNF423">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ZNF423</a>
ADAR	1	RNA editing	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ADAR">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ADAR</a>
B3GALT6	1	transfer of galactose and glycosaminoglycan synthesis	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=B3GALT6">https://www.genecards.org/cgi-bin/carddisp.pl?gene=B3GALT6</a>
C16orf30	1	cell adhesion and cellular permeability at adherens junctions	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TMEM204">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TMEM204</a>
C17orf76/LRRC75A	1	protein-protein interactions	<a href="https://www.ncbi.nlm.nih.gov/gene/388341">https://www.ncbi.nlm.nih.gov/gene/388341</a>
C21orf63/EVA1C	1	carbohydrate binding	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=EVA1C&amp;keywords=C21orf63">https://www.genecards.org/cgi-bin/carddisp.pl?gene=EVA1C&amp;keywords=C21orf63</a>
CNGA3	1	normal vision and olfactory signal transduction	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=CNGA3">https://www.genecards.org/cgi-bin/carddisp.pl?gene=CNGA3</a>
DMH	1	integrator of intermediate filaments, actin and microtubule cytoskeleton networks	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=DST&amp;keywords=DMH">https://www.genecards.org/cgi-bin/carddisp.pl?gene=DST&amp;keywords=DMH</a>
EPHA6	1	transferase activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=EPHA6">https://www.genecards.org/cgi-bin/carddisp.pl?gene=EPHA6</a>
ERG	1	embryonic development, cell proliferation, differentiation, angiogenesis, inflammation, and apoptosis	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ERG">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ERG</a>
F5	1	blood coagulation cascade	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=F5">https://www.genecards.org/cgi-bin/carddisp.pl?gene=F5</a>
FLJ25410/SEPTIN12	1	cytokinesis, exocytosis, embryonic development, and membrane dynamics	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SEPTIN12">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SEPTIN12</a>
FXN	1	mitochondrial iron transport and respiration	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=FXN">https://www.genecards.org/cgi-bin/carddisp.pl?gene=FXN</a>
FZD9	1	neuromuscular junction assembly, neural progenitor cells viability and neuroblast proliferation and apoptotic cell death	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=FZD9">https://www.genecards.org/cgi-bin/carddisp.pl?gene=FZD9</a>
GPR137	1	MTORC1 complex translocation to lysosomes, autophagy and epithelial cell function	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=GPR137">https://www.genecards.org/cgi-bin/carddisp.pl?gene=GPR137</a>
LAG3	1	innate Immune System and Class I MHC mediated antigen processing and presentation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=LAG3">https://www.genecards.org/cgi-bin/carddisp.pl?gene=LAG3</a>
LEP	1	regulation of energy homeostasis, immune and inflammatory responses, hematopoiesis, angiogenesis, reproduction, bone formation and wound healing	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=LEP">https://www.genecards.org/cgi-bin/carddisp.pl?gene=LEP</a>
MBP	1	protease binding and structural constituent of myelin sheath	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=MBP">https://www.genecards.org/cgi-bin/carddisp.pl?gene=MBP</a>

MEIS1	1	hematopoiesis, megakaryocyte lineage development and vascular patterning	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=MEIS1">https://www.genecards.org/cgi-bin/carddisp.pl?gene=MEIS1</a>
NOC2L	1	inhibition of histone acetyltransferase activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=NOC2L">https://www.genecards.org/cgi-bin/carddisp.pl?gene=NOC2L</a>
P2RX6	1	identical protein binding and ion channel activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=P2RX6">https://www.genecards.org/cgi-bin/carddisp.pl?gene=P2RX6</a>
PENK	1	physiologic functions, including pain perception and responses to stress	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=PENK">https://www.genecards.org/cgi-bin/carddisp.pl?gene=PENK</a>
PTDSS2	1	metabolism and glycerophospholipid biosynthesis	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=PTDSS2">https://www.genecards.org/cgi-bin/carddisp.pl?gene=PTDSS2</a>
PTPN7	1	cell growth, differentiation, mitotic cycle, and oncogenic transformation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=PTPN7">https://www.genecards.org/cgi-bin/carddisp.pl?gene=PTPN7</a>
RASSF5	1	tumor suppressor	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=RASSF5">https://www.genecards.org/cgi-bin/carddisp.pl?gene=RASSF5</a>
SALL4	1	development of abducens motor neurons and maintenance and self-renewal of embryonic and hematopoietic stem cells	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SALL4">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SALL4</a>
SCAP	1	cholesterol and lipid homeostasis	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SCAP">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SCAP</a>
SLC12A5	1	protein kinase binding and potassium:chloride symporter activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SLC12A5">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SLC12A5</a>
SLC22A18	1	tumor suppressor	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SLC22A18">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SLC22A18</a>
SNN	1	toxic effects of organotins and endosomal maturation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SNN">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SNN</a>
SSRP1	1	chromatin transcriptional elongation factor FACT	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SSRP1">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SSRP1</a>
SST	1	hormone activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=SST">https://www.genecards.org/cgi-bin/carddisp.pl?gene=SST</a>
TBOX3	1	developmental processes, limb pattern formation and regulation of PML function in cellular senescence	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TBOX3&amp;keywords=T-BOX3">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TBOX-3&amp;keywords=T-BOX3</a>
TBR1	1	cortical development, including neuronal migration, laminar and areal identity, and axonal projection	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TBR1">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TBR1</a>
TMEM106A	1	Activation and polarization of macrophages	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TMEM106A">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TMEM106A</a>
TMEM51/C1orf72	1	unknown	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TMEM51&amp;keywords=TMEM51">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TMEM51&amp;keywords=TMEM51</a>
TRIP10	1	identical protein binding and lipid binding	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TRIP10">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TRIP10</a>
TSSK6	1	sperm production and function, and DNA condensation during postmeiotic chromatin remodeling	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TSSK6">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TSSK6</a>
TTC7B	1	regulation of phosphatidylinositol 4-phosphate (PtdIns(4)P) synthesis	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=TTC7B&amp;keywords=TTC7B">https://www.genecards.org/cgi-bin/carddisp.pl?gene=TTC-7B&amp;keywords=TTC7B</a>
UBE2E1	1	photodynamic therapy-induced unfolded protein response and regulation of activated PAK-2p34 by proteasome mediated degradation	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=UBE2E1">https://www.genecards.org/cgi-bin/carddisp.pl?gene=UBE2E1</a>
UBQLN1	1	protein degradation mechanisms and pathways	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=UBQLN1">https://www.genecards.org/cgi-bin/carddisp.pl?gene=UBQLN1</a>
VGF	1	growth factor activity and neuropeptide hormone activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=VGF">https://www.genecards.org/cgi-bin/carddisp.pl?gene=VGF</a>
ZDHHC22	1	protein-cysteine S-palmitoyltransferase activity	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ZDHHC22">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ZDHHC22</a>
ZIC4	1	development and X-linked visceral heterotaxy and holoprosencephaly type 5	<a href="https://www.genecards.org/cgi-bin/carddisp.pl?gene=ZIC4">https://www.genecards.org/cgi-bin/carddisp.pl?gene=ZIC4</a>

**Supplementary Table 1:** Identified genes and their functions. All genes are protein coding genes, except for C1orf132 (ncRNA gene type).



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>