



Commentary

A Combinational Approach Using Cell Therapy, Tissue Engineering, and Distracting Device for the Treatment of Degenerative Disc Disease

Christina McKee^{1,2}, Mick Perez-Cruet^{2,3,4} and G Rasul Chaudhry^{1,2*}

¹Department of Biological Sciences, Oakland University, Rochester, Michigan, 48309, USA

²OU-WB Institute for Stem Cell and Regenerative Medicine, Rochester, Michigan, 48309, USA

³OUWB School of Medicine, Oakland University, Rochester, Michigan, 48309, USA

⁴Department of Neurosurgery, Beaumont Health System, Royal Oak, Michigan, 48073, USA

Commentary

The Intervertebral Disc (IVD) is a fibrocartilaginous tissue instrumental in spine flexibility, allowing for the bending and twisting motion between vertebral bodies. Degenerative Disc Disease (DDD) results from the complex and chronic deterioration in IVD organization, structure, and function [1]. DDD has been implicated in the majority of cases of chronic Lower Back Pain (LBP) [2]. LBP is one of the most prevalent and debilitating musculoskeletal diseases, affecting nearly 80% of Americans during their lifetime [3]. Consequently, IVD degeneration accounts for around 25%-30% of all direct and indirect healthcare costs in North America and Europe [4]. In the United States alone, an estimated \$84.1 billion to \$624.8 billion has been spent annually for the treatment of LBP. In addition, a loss of between \$7.4 billion to \$28 billion annually has been reported from diminished work productivity [5]. As such, there is a great deal of interest in elucidating the etiology of DDD and relieving the

***Corresponding author:** G Rasul Chaudhry, Department of Biological Sciences, Oakland University, Rochester, Michigan, 48309 USA, Tel: +1 2483703350; Fax: +1 2483703586; E-mail: chaudhry@oakland.edu

Citation: McKee C, Perez-Cruet M, Chaudhry GR (2021) A Combinational Approach Using Cell Therapy, Tissue Engineering, and Distracting Device for the Treatment of Degenerative Disc Disease. J Stem Cell Res Dev Ther 7: 064.

Received: February 11, 2021; **Accepted:** February 18, 2021; **Published:** February 25, 2021

Copyright: © 2021 McKee C, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

expansive societal burden associated with DDD. Toward this end, it is important to understand the biology and function of IVD as well as the intrinsic and extrinsic factors associated with degeneration.

The IVD is composed of an inner highly hydrated Nucleus Pulposus (NP) tissue, which is surrounded by an outer collagen-rich Annulus Fibrosus (AF) and flanked by cartilaginous endplates [6]. The AF is characterized by its high tensile strength [7], providing protection to the gelatinous NP, which is responsible for the shock-absorbing and weight-bearing cushioning of spinal loads [8]. Multiple factors have been implicated in IVD degeneration, including altered mechanical loading, nutrient deficiency, changes in cellular deposition and hereditary factors [9-12]. Degenerative changes in the NP are characterized by the replacement of NP progenitors, notochordal disc cells, with Chondrocyte-Like Cells (CLCs), resulting in the loss of osmotic properties and Extracellular Matrix (ECM) integrity, leading to the formation of fibrocartilage tissue [13]. These age-related cellular and ECM changes negatively impact the biomechanical capabilities of the IVD, and subsequent trauma can lead to further structural damage of the tissue [8]. Due in part to a lack of vascularization and cellularization [14], cells within the NP account for only approximately 1% of the total volume of the IVD [13] and as a result, the IVD has little to no regenerative capacity [7].

Currently, there is no effective treatment for DDD and/or chronic LBP. In general, treatments address symptomatic pain management using analgesics and physiotherapy [7,15]. In severe cases, aggressive surgical procedures such as discectomy and spinal fusion are performed; however, these interventions are highly invasive and often lead to reduced IVD and spine function [7]. Therefore, recent efforts have focused on cell therapy to aid in IVD regeneration by addressing the underlying cause of DDD. While pre-clinical and clinical studies have indicated that cell transplantation is feasible, debate on the optimal cell source as well as the mechanism/vehicle of delivery still exists [16-18].

Early attempts at treating DDD using allogenic articular chondrocytes isolated from juvenile tissue showed promising results with improvement in reported LBP in small-scale preliminary studies, although the majority of radiographic measurements did not indicate significant improvement [19]. In early phase I clinical trials, transplantation of NOVOCART Disk plus, autologous chondrocytes derived from IVD cells, indicated no beneficial improvement but no adverse effects; phase II studies are estimated to be completed in 2021, following 5 years of observation, and may provide more information on long-term functional improvement [20]. However, a major limitation of these studies is the use of chondrocytes cells, which are difficult to isolate and expand to the numbers needed for therapeutic applications [21]. Additionally, chondrocytes, which are considered to be end differentiated cells are not felt to contribute to the production of extracellular proteoglycans or Glycosaminoglycans (GAG), which is largely responsible for the water holding capacity of the IVD [22]. Therefore, the effectiveness of these cells in restoring the degenerated desiccated disc to normal functional hydration is

questionable. Consequently, numerous clinical studies have focused on Mesenchymal Stem Cells (MSCs). These cells are multipotent and self-renewing stem cells that can be isolated from a variety of adult tissues [23]. In general, the majority of clinical trials have utilized bone marrow derived MSCs (BM-MSCs) for transplantation into degenerated IVDs and have reported outcomes ranging from no palliative relief to reduced pain and improved disc hydration [24-27]. The inconsistency of these results may be in part due to the variability of isolated BM-MSCs. MSCs from adult sources are often invasively isolated in low quantities with cell quality correlated to donor age [28,29]. As a result, we have focused our research on the therapeutic use of primitive MSCs isolated from perinatal tissues [30,31]. These cells can be non-invasively harvested from discarded umbilical cord and placenta following birth and have shown enhanced growth potential, allowing for the production of the large number of cells needed for preclinical and clinical studies.

In our lab, we have isolated primitive MSCs from a unique niche of the umbilical cord tissue, which has shown high proliferative capability compared to BM-MSCs [31]. These umbilical cord derived MSCs are capable of differentiation into chondroprogenitor cells [30-32]. In fact, we observed that differentiation of primitive MSCs into chondroprogenitor cells prior to transplantation improved their regenerative capacity in a rabbit model of DDD [32]. Transplanted cells survived, integrated, and dispersed in the damaged areas of the NP and were functionally active expressing human chondrogenic genes, *SOX9*, *ACAN* and *COL2* [32]. These chondroprogenitor cells also produced NP matrix proteins including sulfated GAG (sGAGs), and improved histological and water content properties of the degenerated IVD [32]. In a subsequent study, we further optimized *in vitro* differentiation of primitive MSCs into NP-like Cells (NPCs), expressing chondrogenic and acknowledged NP specific markers [33-35] including, *FOXF1*, *KRT19*, *PAX6*, *CA12* and *COMP* [36]. In agreement with our previous studies, differentiated cells showed improved efficacy over MSCs when injected into degenerated rabbit IVDs. NPC transplantation enhanced ECM accumulation and cellularity in the augmented NP, which exhibited improved physicochemical characteristics including sGAG, NP content, and disc hydration [36]. Overall, these findings further emphasize the importance of both cell source and lineage differentiation in the regeneration of damaged IVDs by addressing the etiology of the disease. However, the overall success of cell transplantation in clinical studies has been shown to also be limited by the propensity of cell leakage from the site of injection [37-39] and failure to reestablish mechanical function by restoration of disc height [7,15,40].

Consequently, tissue engineering techniques utilizing biocompatible materials have recently garnered enthusiasm due to their ability to promote mechanical stability in degenerated IVDs in DDD animal models [41]. Transplantation of whole xenograft IVD constructs require highly invasive medical interventions, which can result in additional structural IVD damage [42-44]. Therefore, we and others have focused our studies on the use of injectable hydrogel scaffolds, which mimic the fully hydrated native NP and can form at the site of injury [2,15,45]. It is imperative to employ biomaterials with the mechanical strength to support spine loading, as well as support IVD cell growth and differentiation.

Using an *ex vivo* model of DDD, we have demonstrated the successful injection of cells using self-assembling scaffolds comprised

of two synthetic and biocompatible Polyethylene Glycol (PEG) polymers functionalized with acrylate (PEG-4-Acr) and thiol end (PEG-4-SH) group [46]. These polymers self-assemble via Michael addition reaction forming chemically cross-linked hydrogels, capable of forming at the site of injection *in situ*. Our results showed that the PEG-4-Acr/PEG-4-SH self-assembling scaffolds promoted retention of injected cells in the IVD without leakage. More importantly, we observed that transplantation of MSCs with the PEG-4-Acr/PEG-4-SH scaffolds improved MSC differentiation into NPCs. This confirmed our *in vitro* studies, which showed that 3-D culture of MSCs in the PEG self-assembling scaffolds promoted differentiation into a NP lineage without the need for inductive media [46]. Injection of MSCs with the self-assembling scaffolds also resulted in significant improvement in structural integrity and cellularity of the NP of degenerated IVD explants when compared to cells or scaffolds alone. IVD explants injected with MSCs using the self-assembling scaffolds displayed higher ECM production of proteoglycans, glycoproteins, and sGAG at levels resembling healthy NP. Transplantation of cells together with the self-assembling scaffold also led to upregulation of NP specific markers, including *FOXF1*, *K19* and *VIMENTIN*, known to be associated with NP cells.

Overall, these findings support the use of a novel multi-pronged treatment strategy, allowing for 1) transplantation of highly proliferative and primitive MSCs with minimal manipulation *in vitro*; 2) increased cell retention upon injection at the site of injury; and 3) highly specified differentiation into NPCs capable of producing NP markers and ECM for regeneration of damaged IVD tissue. Additional clinical studies are warranted to optimize the mechanical properties of injectable scaffolds and its effect on disc height and palliative treatment.

While the self-assembling scaffold may mimic the elastic and hydrated properties of native NP tissue, it may not provide enough mechanical support to allow for complete restoration of disc height in degenerated IVDs. This could be addressed with the help of a pedicle screw based minimally invasive distractive medical devices to provide the space needed to allow for both successful cell integration and regeneration of disc. This proprietary device (Annulo™) was designed to allow for a gradual distraction of the disc space. By applying a motion sparing distractive forces to the disc, over time the disc can be restored to its natural height, mimicking the action of tissue expanders, which allow for the gradual generation of new skin for skin grafting procedures when placed under the skin [47,48]. After the disc height is restored, NP derived MSC scaffolds can be injected into the NP to restore its function, therefore returning the degenerated collapsed disc to its normal functional capacity. As such, the temporary use of an IVD distracting device, such as the Annulo™ technology, may supplement cellular therapy and aid in the restoration of both the biological and mechanical function of the IVD. Such interdisciplinary approaches should be investigated in preclinical and clinical studies, thus facilitating bench-to-basic science research in collaboration with clinical product development to improve patient outcomes. These studies could provide proof-of-concept for combinational use of self-assembling scaffolds for the delivery of cells and a distracting device via minimally invasive surgery to maintain disc height, thus providing a regenerative environment for the treatment of DDD.

Acknowledgements

The study was supported by the OU-WB Institute for Stem Cell and Regenerative Medicine (ISCRM), Oakland University, and Michigan Head and Spine Institute. C. McKee received the Provost Graduate Research Award from Oakland University for this project.

References

1. Sobajima S, Vadala G, Shimer A, Kim JS, Gilbertson LG, et al. (2008) Feasibility of a stem cell therapy for intervertebral disc degeneration. *Spine J* 8: 888-896.
2. Chou AI, Reza AT, Nicoll SB (2008) Distinct intervertebral disc cell populations adopt similar phenotypes in three-dimensional culture. *Tissue Eng Part A* 14: 2079-2087.
3. Waddell G (1996) Low back pain: a twentieth century health care enigma. *Spine (Phila Pa 1976)* 21: 2820-2825.
4. Whitehurst DG, Bryan S, Lewis M, Hill J, Hay EM (2012) Exploring the cost-utility of stratified primary care management for low back pain compared with current best practice within risk-defined subgroups. *Ann Rheum Dis* 71: 1796-1802.
5. Gore M, Sadosky A, Stacey BR, Tai KS, Leslie D (2012) The burden of chronic low back pain: clinical comorbidities, treatment patterns, and health care costs in usual care settings. *Spine (Phila Pa 1976)* 37: 668-677.
6. Rutges J, Creemers LB, Dhert W, Milz S, Sakai D, et al. (2010) Grad, Variations in gene and protein expression in human nucleus pulposus in comparison with annulus fibrosus and cartilage cells: potential associations with aging and degeneration. *Osteoarthritis Cartilage* 18: 416-423.
7. Wan Y, Feng G, Shen FH, Laurencin CT, Li X (2008) Biphasic scaffold for annulus fibrosus tissue regeneration. *Biomaterials* 29: 643-652.
8. Melrose J (2002) Disc structure function and its potential for repair. *APLAR Journal of Rheumatology* 5: A7-A8.
9. Ohshima H, Urban JP, Bergel DH (1995) Effect of static load on matrix synthesis rates in the intervertebral disc measured in vitro by a new perfusion technique. *J Orth Res* 13: 22-29.
10. Urban JPG, Smith S, Fairbank JCT (2004) Nutrition of the intervertebral disc. *Spine (Phila Pa 1976)* 29: 2700-2709.
11. Battie MC, Videman T (2006) Lumbar disc degeneration: Epidemiology and genetics. *J Bone Joint Surg Am* 88: 3-9.
12. Adams MA, Roughley PJ (2006) What is intervertebral disc degeneration, and what causes it? *Spine (Phila Pa 1976)* 31: 2151-2161.
13. Renani HB, Ghorbani M, Beni BH, Karimi Z, Mirhosseini M, et al. (2012) Determination and comparison of specifics of nucleus pulposus cells of human intervertebral disc in alginate and chitosan-gelatin scaffolds. *Advanced biomedical research* 1: 81.
14. Gilson A, Dreger M, Urban JP (2010) Differential expression level of cytokeratin 8 in cells of the bovine nucleus pulposus complicates the search for specific intervertebral disc cell markers. *Arthritis Res Ther* 12: R24.
15. Henriksson HB, Svanvik T, Jonsson M, Hagman M, Horn M, et al. (2009) Transplantation of human mesenchymal stem cells into intervertebral discs in a xenogeneic porcine model. *Spine (Phila Pa 1976)* 34: 141-148.
16. Binch ALA, Fitzgerald JC, Growney EA, Barry F (2021) Cell-based strategies for IVD repair: Clinical progress and translational obstacles. *Nat Rev Rheumatol* 2021.
17. Sakai D, Schol J (2017) Cell therapy for intervertebral disc repair: Clinical perspective. *J Orthop Translat* 9: 8-18.
18. Tong W, Lu Z, Qin L, Mauck RL, Smith HE, et al. (2017) Cell therapy for the degenerating intervertebral disc. *Transl Res* 181: 49-58.
19. Coric D, Pettine K, Sumich A, Boltes MO (2013) Prospective study of disc repair with allogeneic chondrocytes presented at the 2012 Joint Spine Section Meeting. *J Neurosurg Spine* 18: 85-95.
20. Tschugg, Michnacs F, Strowitzki M, Meisel HJ, Thomé C (2016) A prospective multicenter phase I/II clinical trial to evaluate safety and efficacy of NOVOCART Disc plus autologous disc chondrocyte transplantation in the treatment of nucleotomized and degenerative lumbar disc to avoid secondary disease: Study protocol for a randomized controlled trial. *Trials* 17: 108.
21. Vinatier C, Guicheux J (2016) Cartilage tissue engineering: From biomaterials and stem cells to osteoarthritis treatments. *Ann Phys Rehabil Med* 59: 139-144.
22. Mwale F, Roughley P, Antoniou J (2004) Distinction between the extracellular matrix of the nucleus pulposus and hyaline cartilage: A requisite for tissue engineering of intervertebral disc. *Eur Cell Mater* 8: 58-63.
23. Macrin D, Joseph JP, Pillai AA, Devi A (2017) Eminent Sources of Adult Mesenchymal Stem Cells and Their Therapeutic Imminence. *Stem Cell Rev Rep* 13: 741-756.
24. Elabd C, Centeno CJ, Schultz JR, Lutz G, Ichim T, et al. (2016) Intra-discal injection of autologous, hypoxic cultured bone marrow-derived mesenchymal stem cells in five patients with chronic lower back pain: a long-term safety and feasibility study. *J Transl Med* 14: 253.
25. Orozco L, Soler R, Morera C, Alberca M, Sanchez A, et al. (2011) Intervertebral disc repair by autologous mesenchymal bone marrow cells: A pilot study. *Transplantation* 92: 822-828.
26. Pettine KA, Murphy MB, Suzuki RK, Sand TT (2015) Percutaneous injection of autologous bone marrow concentrate cells significantly reduces lumbar discogenic pain through 12 months. *Stem Cells* 33: 146-156.
27. Yoshikawa T, Ueda Y, Miyazaki K, Koizumi M, Takakura Y (2010) Disc regeneration therapy using marrow mesenchymal cell transplantation: a report of two case studies. *Spine (Phila Pa 1976)* 35: 475-480.
28. Bentivegna A, Miloso M, Riva G, Foudah D, Butta V, et al. (2013) DNA Methylation Changes during *In Vitro* Propagation of Human Mesenchymal Stem Cells: Implications for Their Genomic Stability? *Stem Cells Int* 2013: 192425.
29. Teschendorff AE, Jones A, Fiegl H, Sargent A, Zhuang JJ, et al. (2012) Epigenetic variability in cells of normal cytology is associated with the risk of future morphological transformation. *Genome Med* 4: 24.
30. Beeravolu N, Khan I, McKee C, Dinda S, Thibodeau B, et al. (2016) Isolation and comparative analysis of potential stem/progenitor cells from different regions of human umbilical cord. *Stem Cell Res* 16: 696-711.
31. Beeravolu N, McKee C, Alamri A, Mikhael S, Brown C, et al. (2017) Isolation and Characterization of Mesenchymal Stromal Cells from Human Umbilical Cord and Fetal Placenta. *J Vis Exp* 122: 55224.
32. Beeravolu N, Brougham J, Khan I, McKee C, Perez-Cruet M, et al. (2016) Human Umbilical Cord Derivatives Regenerate Intervertebral Disc. *J Tissue Eng Regen Med* 12: 579-591.
33. Han XB, Zhang YL, Li HY, Chen B, Chang X, et al. (2015) Differentiation of Human Ligamentum Flavum Stem Cells Toward Nucleus Pulposus-Like Cells Induced by Coculture System and Hypoxia. *Spine (Phila Pa 1976)* 40: 665-674.
34. Minogue BM, Richardson SM, Zeef LA, Freemont AJ, Hoyland JA (2010) Characterization of the human nucleus pulposus cell phenotype and evaluation of novel marker gene expression to define adult stem cell differentiation. *Arthritis Rheum* 62: 3695-3705.
35. Rodrigues-Pinto R, Richardson SM, Hoyland JA (2013) Identification of novel nucleus pulposus markers: Interspecies variations and implications for cell-based therapies for intervertebral disc degeneration. *Bone Joint Res* 2: 169-178.

36. Perez-Cruet M, Beeravolu N, McKee C, Brougham J, Khan I, et al. (2018) Potential of Human Nucleus Pulposus-Like Cells Derived From Umbilical Cord to Treat Degenerative Disc Disease. *Neurosurgery* 84: 272-283.
37. Bertram H, Kroeber M, Wang H, Unglaub F, Guehring T, et al. (2005) Matrix-assisted cell transfer for intervertebral disc cell therapy. *Biochem Biophys Res Commun* 331: 1185-1192.
38. Kalaf EAG, Pendyala M, Bledsoe JG, Sell SA (2017) Characterization and restoration of degenerated IVD function with an injectable, in situ gelling alginate hydrogel: An in vitro and ex vivo study. *J Mech Behav Biomed Mater* 72: 229-240.
39. Omlor GW, Bertram H, Kleinschmidt K, Fischer F, Brohm K, et al. (2010) Methods to monitor distribution and metabolic activity of mesenchymal stem cells following in vivo injection into nucleotomized porcine intervertebral discs. *Eur Spine J* 19: 601-612.
40. Ahn J, Park EM, Kim BJ, Kim JS, Choi B, et al. Transplantation of human Wharton's jelly-derived mesenchymal stem cells highly expressing TGFbeta receptors in a rabbit model of disc degeneration. *Stem Cell Res Ther* 6: 190.
41. Huang YC, Hu Y, Li Z, Luk KDK (2018) Biomaterials for intervertebral disc regeneration: Current status and looming challenges. *J Tissue Eng Regen Med* 12: 2188-2202.
42. Hensley A, Rames J, Casler V, Rood C, Walters J, et al. (2018) Decellularization and characterization of a whole intervertebral disk xenograft scaffold. *J Biomed Mater Res A* 106: 2412-2423.
43. Park SH, Gil ES, Cho H, Mandal BB, Tien LW, et al. (2012) Intervertebral disk tissue engineering using biphasic silk composite scaffolds. *Tissue Eng Part A* 18: 447-458.
44. Zeng C, Yang Q, Zhu M, Du L, Zhang J, et al. (2014) Silk fibroin porous scaffolds for nucleus pulposus tissue engineering. *Mater Sci Eng C* 37: 232-240.
45. Leckie SK, Sowa GA, Bechara BP, Hartman RA, Coelho JP, et al. (2013) Injection of human umbilical tissue-derived cells into the nucleus pulposus alters the course of intervertebral disc degeneration in vivo. *Spine J* 13: 263-272.
46. McKee C, Beeravolu N, Brown C, Perez-Cruet M, Chaudhry GR (2020) Mesenchymal stem cells transplanted with self-assembling scaffolds differentiated to regenerate nucleus pulposus in an ex vivo model of degenerative disc disease. *Applied Materials Today* 18: 100474.
47. Johnson GR, Han P, Giacomelli JA (1992) Tissue expansion as an alternative to skin grafting for closure of skin deficits. *J Am Podiatr Med Assoc* 82: 249-259.
48. Kumar G, Narayan B (2014) The Tension-Stress Effect on the Genesis and Growth of Tissues: Part II. The Influence of the Rate and Frequency of Distraction, in: Banaszkiwicz P, Kader D (Eds.), *Classic Papers in Orthopaedics*, Springer London, UK, Pg No's: 523-525.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>